



THE SINGARENI COLLIERIES COMPANY LIMITED

(A GOVT. COMPANY)


RESULTS OF THE CORPORATE MEDICAL BOARD HELD ON 22.01.2025

| SL. No | Employee Name | Employee Code | Designation | Personnal Subarea | Personnal Area | Result |
|--------|--------------------------|---------------|----------------------|-------------------|----------------|-------------------------------------------------------------------|
| 1 | Vemula Raghupathi | 821383 | FOREMAN (MEC/AUT)-DH | CSP GDK1 | RG.I | Invalidated |
| 2 | Pammidi Sampath Rao | 950491 | GENERAL MAZDOOR | GDK11A Inc | RG.I | Invalidated |
| 3 | Panasa Mallesh | 2817495 | TYNDAL | RKNT Incline | SRP | Invalidated |
| 4 | Kaniganti Mallesh | 2865367 | ELECTRICIAN | Area WS - SRP | SRP | Referred to HC for further evaluation |
| 5 | Sudhagani Ashok | 972980 | HAULAGE OPRTR | KTK8 Inc | BHPL | Invalidated |
| 6 | Parsha Bakkaiah | 1235860 | GENERAL MAZDOOR(HEMM | GDK OC II | RG.III | Invalidated |
| 7 | Tula Mohan | 497524 | EP OPRTR | GDK OC II | RG.III | Invalidated |
| 8 | Bagam Krishna Rao | 2881436 | GENERAL MAZDOOR(HEMM | Gouthamkhani-OC | KGM | ABSENT |
| 9 | Durgam Babu | 2070645 | TRAMMER | Shanthikhani | MMR | Invalidated |
| 10 | Mohammaed Abdul Ali | 891702 | SR MININGSIRDAR(MSH) | GDK11A Inc | RG.I | Invalidated |
| 11 | Medari Mallikarjun | 290370 | CONVEYOR OPRTR | Padmavathikhani | KGM | Invalidated |
| 12 | Dhanika Laxminarayana | 208789 | GENERAL MAZDOOR(HEMM | Gouthamkhani-OC | KGM | ABSENT |
| 13 | Koutla Mallesh | 2225305 | ASST SUPDT SPL GR | GM Office - SRP | SRP | ABSENT |
| 14 | Mk Anandbabu | 973261 | ASST CHAINMAN | GDK2 Inc | RG.I | Invalidated |
| 15 | Panyala Kanakasena Reddy | 1710925 | ASST CHAINMAN | GDK OC I | RG.III | Invalidated |
| 16 | G Muralider Rao | 293857 | GENERAL MAZDOOR | VK Workshop | KGM | Invalidated |
| 17 | Nomula Laxmi Narayana | 1216141 | EP OPRTR | GDK OC II | RG.III | Invalidated |
| 18 | Surineni Sudhakar | 1228936 | SUPPORT MAN | KK5 Inc | MMR | Unfit for Underground & Fit to work as General Mazdoor on Surface |
| 19 | Laxeti Sandeep Kumar | 2399926 | COAL CUTTER | Kasipeta | MMR | Unfit for Underground & Fit to work as General Mazdoor on Surface |
| 20 | Singathi Srinivas | 2069319 | SR SECURITY GUARD | S&PC - BHP | BHPL | ABSENT |
| 21 | Nachagoni Dasharatham | 1152169 | ELECTRICIAN | Area WS - RGII | RG.II | ABSENT |
| 22 | Md Jalaluddin | 2348022 | M V DRIVER | RKP OC | MMR | Invalidated |
| 23 | Mukku Gopala Krishna | 302389 | GENERAL MAZDOOR | KTK1 Inc | BHPL | Invalidated |
| 24 | Singathi Sathaiah | 2109397 | CONVEYOR OPRTR | CSP I RKP | MMR | Invalidated |
| 25 | Gujjula Narayana | 2351871 | SUPPORT MAN | KTK5 Inc | BHPL | Referred to HC for further evaluation |
| 26 | Thoddu Raja Hari | 992037 | FOREMAN (MEC/AUT)-DH | GDK OC I | RG.III | Invalidated |
| 27 | Medi Lingaiah | 900420 | GENERAL MAZDOOR | KTK5 Inc | BHPL | Invalidated |
| 28 | Dongari Raja Ram | 228975 | GENERAL MAZDOOR | Gouthamkhani-OC | KGM | Invalidated |

P. Sujatha
CHIEF MEDICAL OFFICER


RESULTS OF THE CORPORATE MEDICAL BOARD HELD ON 22.01.2025

| SL. No | Employee Name | Employee Code | Designation | Personnal Subarea | Personnal Area | Result |
|--------|---------------------------|---------------|-----------------------|-------------------|----------------|-------------------------------------------------------------------|
| 29 | D Shyam Lal | 279099 | SWEEPER (NIGHT SOIL) | Main Hospital | CORP | Fit for same job |
| 30 | Gampala Ramaswamy | 2544791 | SECURITY GUARD | S&PC - SRP | SRP | Referred to HC for further evaluation |
| 31 | Boddu Sathaiah | 2886949 | TRAMMER | IK1A Inc | SRP | Referred to HC for further evaluation |
| 32 | Syed Habeebul Rahaman | 428614 | SECURITY GUARD | S&PC - YLD | YLD | Invalidated |
| 33 | Pittala Mogili | 2348983 | GENERAL MAZDOOR(HEMM) | RKP OC | MMR | Invalidated |
| 34 | Mitta Suryanarayana | 2345977 | GENERAL MAZDOOR | KK5 Inc | MMR | ABSENT |
| 35 | Banda Ravinder | 1455070 | HAULAGE OPRTR | IK1A Inc | SRP | ABSENT |
| 36 | Malyala Srinivas | 1229851 | WELDER | CHP GDK OC I | RG.III | Fit for same job |
| 37 | Korandla Mahender | 2289163 | GENERAL MAZDOOR | KTK OC-2 | BHPL | Fit for same job |
| 38 | Kondila Srikanth | 1606320 | GENERAL MAZDOOR | Adriyala LWP | APA | Unfit for Underground & Fit to work as General Mazdoor on Surface |
| 39 | Goshika Mallesham | 2851457 | ASST SUPDT SPL GR | GM Office - SRP | SRP | ABSENT |
| 40 | Vemula Ravi | 2568240 | TRAMMER | IK1A Inc | SRP | Invalidated |
| 41 | Dasi Ravinder | 214489 | HEAD CHAINMAN | Gouthamkhani-OC | KGM | ABSENT |
| 42 | Katkam Rajaiah | 1231078 | TUB REP/MAK MAZDOOR | KTK1 Inc | BHPL | Referred to HC for further evaluation |
| 43 | Bandi Komuraiah | 2339455 | BUNKER CHAIN MAZDOOR | RKP OC | MMR | Fit for same job |
| 44 | Mende Venkaty | 2852102 | SUPPORT MAN | RK7 Inc | SRP | Invalidated |
| 45 | Kanikuntla Ashalu | 207945 | VALVE OPRTR | Civil-Corp | CORP | ABSENT |
| 46 | Gandam Venkaty | 2629274 | SR SECURITY GUARD | ADMIN OFFICE | STPP | Invalidated |
| 47 | Amma Ramchandrar | 214382 | EP ELECTRICIAN | PK OC | MNGR | Invalidated |
| 48 | D Venkatanarasaiah | 2207470 | FOREMAN I/C(ELEC)-DH | GDK CM(2,2A&5) | RG.I | ABSENT |
| 49 | Undam Narsimharao | 428656 | SUPPORT MAN | KTK1 Inc | BHPL | Referred to HC for further evaluation |
| 50 | Kundipudi Yedukondalu | 2641357 | SUPPORT MAN | IK1A Inc | SRP | Invalidated |
| 51 | Mondeddula Adireddy | 913627 | COAL CUTTER | GDK11A Inc | RG.I | Invalidated |
| 52 | Laxmi Balmiki | 2545446 | SWEEPER (NIGHT SOIL) | Area Hosp-MM | MMR | ABSENT |
| 53 | Kompelly Satyanarayana | 2507715 | ASST SUPDT SPL GR | GDK OC II | RG.III | ABSENT |
| 54 | Kovuuroju Venkata Rajam | 1401267 | ELECTRICIAN | RKP OC | MMR | Invalidated |
| 55 | Marumudi Moses Kalyan Rao | 1474422 | EXPLOSIVE CARRIER | GDK OC I | RG.III | Invalidated |
| 56 | Gajji Srinivas | 298857 | FITTER | CSP- Rudrampur | KGM | ABSENT |
| 57 | Donthula Chandraiah | 2357673 | GENERAL MAZDOOR | KTK6 Inc | BHPL | Invalidated |
| 58 | K Francis | 121474 | COOK | Canteen-Corp | CORP | Invalidated |
| 59 | Poosaberla Saraiah | 2790287 | TUB REPAIRING MAISTR | SRP1 Inc | SRP | Referred to HC for further evaluation |
| 60 | Koyyada Sathaiah | 2380820 | GENERAL MAZDOOR | IK1A Inc | SRP | Invalidated |


CHIEF MEDICAL OFFICER

RESULTS OF THE CORPORATE MEDICAL BOARD HELD ON 22.01.2025

| SL. No | Employee Name | Employee Code | Designation | Personnal Subarea | Personnal Area | Result |
|--------|-------------------------------------|---------------|----------------------|-------------------|----------------|-------------------------------------------------------------------|
| 61 | Beerelli Srinivas | 2242941 | FAN OPRTR | KK5 Inc | MMR | ABSENT |
| 62 | Mathamarri Srinivas | 2106454 | ASST CHAINMAN | GM Office - BPA | BPA | Invalidated |
| 63 | Raj Mohammad | 971586 | GENERAL MAZDOOR | JK 5 OC | YLD | Invalidated |
| 64 | Jakkam Ramesh | 2550108 | CONVEYOR OPRTR | CSP - Kondapura | MNGR | ABSENT |
| 65 | Gandla Narsaiah, | 2911053 | BADLI FILLER | Kasipeta | MMR | Invalidated |
| 66 | Vaddey Swamy | 446078 | GENERAL MAZDOOR | KTK5 Inc | BHPL | Invalidated |
| 67 | T Suryanarayana | 2048583 | EP OPRTR | Khairagura OC | BPA | Invalidated |
| 68 | Seeka Ramesh | 300442 | FITTER | CSP- Rudrampur | KGM | Invalidated |
| 69 | Potla Venkateswarlu | 452582 | FITTER (OCPS) | JVR CHP | KGM | Referred to HC for further evaluation |
| 70 | Kalwala Kumaraswamy | 509842 | HEAD OVERMAN | PK OC | MNGR | Invalidated |
| 71 | Kadasi Mondiah | 1207752 | TYNDAL | GDK11A Inc | RG.I | Invalidated |
| 72 | Koppu Vidya Sagar | 2911891 | MULTI JOB WORKER | Adriyala LWP | APA | Unfit for Underground & Fit to work as General Mazdoor on Surface |
| 73 | Kasam Ramesh | 2757108 | ELECTRICIAN | Area WS - SRP | SRP | Invalidated |
| 74 | Renekuntla Rajamouli | 2637609 | HAULAGE OPRTR | KTK1 Inc | BHPL | Invalidated |
| 75 | Sampathi Kanpelly | 2345202 | GENERAL MAZDOOR | BPA CHP (RWLP) | BPA | Invalidated |
| 76 | Gampa Chandrudu | 2227137 | ELECTRICIAN | Area WS -MM | MMR | Invalidated |
| 77 | Malath Ramchanader | 2870574 | MUNSHI | SRP3 Inc | SRP | Invalidated |
| 78 | Muty Srinivas | 429408 | GENERAL MAZDOOR | Koyagudem OC-II | YLD | Invalidated |
| 79 | S Krishna Murthy | 2576918 | SR MININGSIRDAR(MSH) | RK6 Inc | SRP | Invalidated |
| 80 | Sutrapu Srinivas | 2905557 | GENERAL MAZDOOR | SRP OC2 | SRP | Referred to HC for further evaluation |
| 81 | Boga Murali Krishna | 997142 | FOREMAN I/C(M/A)-DH | CSP I RKP | MMR | ABSENT |
| 82 | Nagapuram Mallaiah | 1231858 | COAL CUTTER | KTK6 Inc | BHPL | Invalidated |
| 83 | Koraganti Kumar | 208771 | MASON | KTK6 Inc | BHPL | Invalidated |
| 84 | Nekkalapudi Ramakrishna Leelaprasad | 452558 | EP FITTER | JVR OC-II | KGM | Invalidated |
| 85 | Shaik Khadeer Ahmed | 2331889 | EXPLOSIVE CARRIER | KTK OC-2 | BHPL | Invalidated |
| 86 | Jupelli Mallesh | 1765190 | BADLI WORKER | KTK5 Inc | BHPL | ABSENT |
| 87 | Kamera Ramulu | 2285216 | GENERAL MAZDOOR | Kasipeta | MMR | ABSENT |
| 88 | Thallapalli Lachaiah | 2353360 | SUPPORT MAN | KTK6 Inc | BHPL | Invalidated |
| 89 | Bheemanapally V Sanjeev | 2950528 | SUPPORT MAN | KTK1 Inc | BHPL | Unfit for Underground & Fit to work as General Mazdoor on Surface |
| 90 | Ch Prabhakar Reddy | 1149637 | ELECTRICIAN | Area WS - RGII | RG.II | ABSENT |


CHIEF MEDICAL OFFICER


RESULTS OF THE CORPORATE MEDICAL BOARD HELD ON 22.01.2025

| SL. No | Employee Name | Employee Code | Designation | Personnal Subarea | Personnal Area | Result |
|--------|---------------------------|---------------|-------------------|-------------------|----------------|----------------------------------------------------------------|
| 91 | Rabinder Kumar Singh | 4059912 | EP OPRTR | GDK OC III | RG.II | Invalidated |
| 92 | Matety Kumar | 290647 | GENERAL MAZDOOR | Gouthamkhani-OC | KGM | Invalidated |
| 93 | Pasunti Srinivas | 2635615 | EXPLOSIVE CARRIER | Khairagura OC | BPA | Invalidated |
| 94 | Gandi Sammaiah | 2778358 | WELDERS (NEW) | CSP - SRP | SRP | ABSENT |
| 95 | Bogam Shankar | 2311172 | LAMP MAZDOOR | KTK5 Inc | BHPL | Referred to HC for further evaluation |
| 96 | Ch Venkatadri | 2778324 | FITTER | KTK6 Inc | BHPL | Invalidated |
| 97 | Polu Kanakaiah | 1215983 | GENERAL MAZDOOR | GDK OC II | RG.III | Invalidated |
| 98 | Jakkam Ramesh | 4037300 | FITTER | CSP - Kondapura | MNGR | ABSENT |
| 99 | Boina Ramaswamy | 1231052 | GENERAL MAZDOOR | KTK5 Inc | BHPL | Invalidated |
| 100 | Thota Mallaiah | 1155638 | CONVEYOR OPRTR | GDK11A Inc | RG.I | ABSENT |
| 101 | Kande Srinivas | 2942779 | BADLI WORKER | RK7 Inc | SRP | Unfit for Underground & Fit to work as Badli worker on Surface |
| 102 | Mosam Sadanandam | 993449 | SENIOR ASSISTANT | GDK2 Inc | RG.I | Referred to HC for further evaluation |
| 103 | Bandari Kanakaiah | 988800 | PUMP OPRTR | GM Office - RGI | RG.I | Invalidated |
| 104 | Jadi Durgaiah | 1231256 | LINEMAN | KTK5 Inc | BHPL | Invalidated |
| 105 | Dasarapu Saraiah | 112580 | OFFICE ATTENDANT | O/o Dir(O) | CORP | ABSENT |
| 106 | Deva Mallaiah | 986133 | FITTER | GDK11A Inc | RG.I | Invalidated |
| 107 | Kotha lylaiah | 1191600 | GENERAL MAZDOOR | Adriyala LWP | APA | Invalidated |
| 108 | Boga Malleswara Rao | 2872128 | LINEMAN | SRP3 Inc | SRP | Invalidated |
| 109 | Devatha Satyanarayana | 2316237 | GENERAL MAZDOOR | CSP I RKP | MMR | Referred to HC for further evaluation |
| 110 | Thiwari Laxmi Narayana | 1440677 | ELECTRICIAN | GDK OC II | RG.III | ABSENT |
| 111 | Thalagampala Srinivas Rao | 231017 | GENERAL MAZDOOR | Gouthamkhani-OC | KGM | Invalidated |
| 112 | Katukuri Srinivas | 1125900 | ELECTRICIAN | CHP GDK OC I | RG.III | Fit for same job |
| 113 | Bangaru Satyanarayna | 4029098 | EP SR MECHANIC | PK OC | MNGR | Invalidated |
| 114 | Boina Uppalaiah | 4039734 | COOK | GM Office - MNG | MNGR | Referred to HC for further evaluation |
| 115 | Sakali Shankaraiah | 298027 | GENERAL MAZDOOR | RKNT Incline | SRP | Invalidated |
| 116 | Thatipamula Chakra Pani | 946010 | GENERAL MAZDOOR | GDK7 LEP | RG.II | Invalidated |
| 117 | Sk Saheb Hussain | 2987923 | FITTER | Area WS - RGI | RG.I | ABSENT |
| 118 | K Prabhu | 117166 | OFFICE ATTENDANT | CWS | CORP | Referred to HC for further evaluation |
| 119 | Poosam Venkanna | 294811 | COAL CUTTER | KTK6 Inc | BHPL | Invalidated |
| 120 | Natte Saraiah | 206208 | TRAMMER | Padmavathikhani | KGM | ABSENT |
| 121 | G Bhaskar Rao | 228551 | VALVE OPRTR | GM Office - KGM | KGM | Invalidated |
| 122 | Puppala Bhumanandam | 1404728 | FITTER (OCPS) | GDK OC II | RG.III | Invalidated |

P. Sujana
CHIEF MEDICAL OFFICER


RESULTS OF THE CORPORATE MEDICAL BOARD HELD ON 22.01.2025

| SL. No | Employee Name | Employee Code | Designation | Personnal Subarea | Personnal Area | Result |
|--------|--------------------------|---------------|----------------------|-------------------|----------------|---------------------------------------|
| 123 | Talla Narsaiah | 208828 | GENERAL MAZDOOR | CSP- Rudrampur | KGM | Invalidated |
| 124 | Edigirala Rajaiah | 2563973 | GENERAL MAZDOOR | RK5 Inc | SRP | ABSENT |
| 125 | Boddapu Satya Rao | 1474228 | FITTER | GDK OC I | RG.III | Referred to HC for further evaluation |
| 126 | Lingala Jagannadam | 428567 | SECURITY GUARD | S&PC - YLD | YLD | ABSENT |
| 127 | Kamal Ahmed | 4029593 | CONVEYOR OPRTR | CSP- Rudrampur | KGM | Invalidated |
| 128 | Kolipaka Mallaiah | 2900060 | GENERAL MAZDOOR | Adriyala LWP | APA | Referred to HC for further evaluation |
| 129 | Polsani Sampath Rao | 2586549 | SR MININGSIRDAR(MSH) | RK6 Inc | SRP | ABSENT |
| 130 | Sankubapana Srinivasarao | 298441 | GENERAL MAZDOOR | JVR OC-II | KGM | Invalidated |
| 131 | Anthadupula Ramaswamy | 286135 | LORRY MUCCADAM | Gouthamkhani-OC | KGM | Invalidated |
| 132 | Sheshala Mallaiah | 914013 | CONVEYOR OPRTR | GDK1 Inc | RG.I | Referred to HC for further evaluation |
| 133 | Nasam Sadanandam | 432516 | COAL CUTTER | KTK1 Inc | BHPL | ABSENT |
| 134 | V Odaiah | 2812584 | TIMBERMAN | RKNT Incline | SRP | Invalidated |
| 135 | Cheemala Nangaiah | 1233119 | CONVEYOR OPRTR | Adriyala LWP | APA | Invalidated |
| 136 | Godisela Srihari | 2084246 | GENERAL MAZDOOR | Area WS -MM | MMR | Invalidated |
| 137 | Kovvuri Rajeswara Rao | 285676 | VALVE OPRTR | GM Office - KGM | KGM | Referred to Ophthal CMB |
| 138 | Vadugu Adinarayana | 4030528 | ELECTRICIAN | Area WS - MNG | MNGR | Invalidated |
| 139 | Kola Narsaiah | 2868292 | TYNDAL | CSP - SRP | SRP | Invalidated |
| 140 | Naravate Masa Rao | 2027731 | PUMP OPRTR | GDK OC I | RG.III | Invalidated |
| 141 | S Sathya Narayana | 1118050 | FITTER | GDK OC I | RG.III | ABSENT |
| 142 | Neela Vinoda Rao | 442074 | GENERAL MAZDOOR | KTK8 Inc | BHPL | Invalidated |
| 143 | Polu Mogili | 1458727 | VENDOR | GDK OC II | RG.III | Invalidated |
| 144 | Edumala Sadanandam | 2632706 | EP HELPER/GREASER | RKP OC | MMR | Invalidated |
| 145 | Md Shafiquddin | 1404524 | EP FITTER-CUM-MECHAN | GDK OC II | RG.III | ABSENT |
| 146 | Adepu Mohan Rao | 228941 | EP HELPER/GREASER | JVR OC-II | KGM | ABSENT |
| 147 | Nune Bhaskera Rao | 4032075 | EP OPRTR | PK OC | MNGR | Invalidated |
| 148 | Mohd Riyazuddin | 1232422 | ASST CHAINMAN | Khairagura OC | BPA | Invalidated |
| 149 | Katuku Laxmi | 990132 | GENERAL MAZDOOR | Area WS - RGI | RG.I | Fit for same job |
| 150 | Devarakonda Divakar | 134427 | EP FITTER | Khairagura OC | BPA | ABSENT |
| 151 | Kadari Sanjeev | 2909551 | GENERAL MAZDOOR | IK1A Inc | SRP | Invalidated |
| 152 | Kanakam Laxman | 431772 | SECURITY GUARD | S&PC - YLD | YLD | Invalidated |
| 153 | G Kavitha | 158625 | DY SUPDT GR A | HyderabadOffice | CORP | Referred to Ophthal CMB |
| 154 | J Servesham | 2866216 | SECURITY GUARD | S&PC - SRP | SRP | ABSENT |
| 155 | Perka Sambaiah | 1199763 | SR MININGSIRDAR(MSH) | KTK5 Inc | BHPL | Invalidated |
| 156 | Basaboina Kamala | 290794 | GENERAL MAZDOOR | GM Office - KGM | KGM | Fit for same job |


CHIEF MEDICAL OFFICER

RESULTS OF THE CORPORATE MEDICAL BOARD HELD ON 22.01.2025

| SL. No | Employee Name | Employee Code | Designation | Personnal Subarea | Personnal Area | Result |
|--------|-----------------------------|---------------|---------------------|-------------------|----------------|-------------------------------------------------------------------|
| 157 | Kanchi Mariyadas | 1475892 | ELECTRICIAN | Gouthamkhani-OC | KGM | Invalidated |
| 158 | Adicherla Venkateswarlu | 903444 | EP FITTER | GDK OC III | RG.II | Invalidated |
| 159 | EMBADI PRASHANTH | 2957384 | FITTER | SRP3 Inc | SRP | Unfit for Underground & Fit to work as General Mazdoor on Surface |
| 160 | Potharapu Rajaiah | 290320 | ONSETTER | Padmavathikhani | KGM | Invalidated |
| 161 | Gundeti Raju | 231724 | GENERAL MAZDOOR | Padmavathikhani | KGM | ABSENT |
| 162 | Uddamarri Shankar | 208242 | GENERAL MAZDOOR | VK Workshop | KGM | Invalidated |
| 163 | Koluguri Gattaiah | 290817 | GENERAL MAZDOOR | KTK6 Inc | BHPL | Invalidated |
| 164 | Sadam Venkateswara Rao | 4033550 | ELECTRICIAN | CSP - Kondapura | MNGR | Invalidated |
| 165 | Munigala Narasaiah | 214324 | GENERAL MAZDOOR | GDK OC II | RG.III | Invalidated |
| 166 | Gorak Prasadsharma | 2598114 | GENERAL MAZDOOR | Area WS -MM | MMR | Invalidated |
| 167 | Burra Komuraiah | 2383690 | GENERAL MAZDOOR | KTK6 Inc | BHPL | Invalidated |
| 168 | Kommu Venkateswarlu | 2871716 | FITTER | CSP - SRP | SRP | ABSENT |
| 169 | Errabathula Narayana Murthy | 2291762 | General mazdoor | RK-6 incline | SRP | Fit for same job |
| 170 | Byri Poshalu | 2340163 | GENERAL MAZDOOR | Area WS -MM | MMR | Referred to HC for further evaluation |
| 171 | KOYYADA YESUDASU | 1046601 | BADLI WORKER | GDK1 Inc | RG.I | Invalidated |
| 172 | Kurapati Kumaraswamy | 234277 | GENERAL MAZDOOR | GM Office - BHP | BHPL | Invalidated |
| 173 | Shaik Abdul Aleem | 2881892 | DY SUPDT GR A | GM(E&M) SOLAR | CORP | Invalidated |
| 174 | Kanukuntla Shankar | 2022846 | SR SECURITY GUARD | S&PC -RGII | RG.II | Fit for same job |
| 175 | Motapalukula Laxman Babu | 2958047 | BADLI WORKER | SRP1 Inc | SRP | Unfit for Underground & Fit to work as Badli worker on Surface |
| 176 | Salloori Rajesham | 2349191 | TUB REP/MAK MAISTRY | Kasipeta-2 Inc | MMR | Invalidated |
| 177 | Thota Madhusudan Rao | 2029068 | FITTER HLP(NITI) | Khairagura OC | BPA | Invalidated |
| 178 | P Vijayalaxmi | 2136302 | SR STAFF NURSE | Area Hosp - RGI | RG.I | ABSENT |
| 179 | Mangalagiri Srinivasa Rao | 4030293 | FITTER (OCPS) | JVR OC-II | KGM | ABSENT |
| 180 | Sunkari Ramesh | 1471686 | SR INSPECTOR | S&PC - MM | MMR | Invalidated |
| 181 | M Jeeva Kumary | 1704487 | SR STAFF NURSE | Area Hosp - BHP | BHPL | ABSENT |
| 182 | Kappala Kumara Swamy | 2890354 | SR WARD ASSISTANT | Area Hosp - BHP | BHPL | ABSENT |
| 183 | Kunsoth Balu | 428949 | HAULAGE OPRTR | KTK5 Inc | BHPL | Invalidated |
| 184 | Nalla Sagar Reddy | 2900816 | GENERAL MAZDOOR | RKNT Incline | SRP | Invalidated |
| 185 | Bobbili Narsaiah | 1209380 | GENERAL MAZDOOR | GDK CM(2,2A&5) | RG.I | ABSENT |
| 186 | Kuditala Venkateshwarlu | 987846 | HEAD OVERMAN | KTK6 Inc | BHPL | Invalidated |
| 187 | Senigarapu Thirupathi | 2355401 | HAULAGE OPRTR | GDK2 Inc | RG.I | Invalidated |


CHIEF MEDICAL OFFICER


RESULTS OF THE CORPORATE MEDICAL BOARD HELD ON 22.01.2025

| SL. No | Employee Name | Employee Code | Designation | Personnal Subarea | Personnal Area | Result |
|--------|-----------------------|---------------|----------------------|-------------------|----------------|-------------------------------------------------------------------|
| 188 | Pogula Harinathbabu | 1464118 | GENERAL MAZDOOR | CSP - Kondapura | MNGR | Invalidated |
| 189 | B. Rajendra Prasad | 1606100 | GENERAL MAZDOOR | KTK1 Inc | BHPL | Unfit for Underground & Fit to work as General mazdoor on Surface |
| 190 | Shaik Humayun | 294489 | WINDING ENGINE OPRTR | Padmavathikhani | KGM | ABSENT |
| 191 | Mohd Akheel | 493300 | EP OPRTR | PK OC | MNGR | Invalidated |
| 192 | A V Narasimha Rao | 4030497 | ELECTRICIAN | Area WS - RGI | RG.I | Invalidated |
| 193 | Mohd Thakiyuddin | 986515 | CHARGER-SAFETY LAMP | GDK2 Inc | RG.I | Referred to HC for further evaluation |
| 194 | Rasuri Shankar | 234112 | WINDING ENGINE OPRTR | Padmavathikhani | KGM | Referred to Ophthal CMB |
| 195 | Sappidi Rambabu | 229060 | COOK | Padmavathikhani | KGM | Invalidated |
| 196 | Bandi Ramesh | 976968 | GENERAL MAZDOOR | GDK OC III | RG.II | Invalidated |
| 197 | Metta Sugandar Rao | 1447035 | EP WELDER | GDK OC II | RG.III | Invalidated |
| 198 | Miriyala Sambakrishna | 359417 | DY SUPDT GR A | Personnel-Corp | CORP | ABSENT |
| 199 | Vanaparathi Srinivas | 1700394 | DRILLER | Exploration RG1 | RG.I | Invalidated |
| 200 | Kampati Veeraiah | 2356091 | GENERAL MAZDOOR | CSP I RKP | MMR | ABSENT |
| RM-01 | Bojjam Kumar | 2894675 | TRAMMER | RK7 Inc | SRP | ABSENT |
| RM-02 | Gangaraboina Balaraju | 2634619 | SUPPORT MAN | RK5 Inc | SRP | Invalidated |
| RO-01 | Kondi Vijaya Lakshmi | 971667 | SR STAFF NURSE | Main Hospital | CORP | Fit for same job |
| RO-02 | Lakavath Lachiram | 1472666 | SUPPORT MAN | KTK5 Inc | BHPL | Invalidated |
| RO-03 | Vuyyala Veeresham | 916421 | EXPLOSIVE CARRIER | GDK CM(2,2A&5) | RG.I | Invalidated |
| RO-04 | Choppadandi Posham | 2613566 | SUPPORT MAN | Kasipeta-2 Inc | MMR | Invalidated |
| RO-05 | Akudari Laxmaiah | 1703855 | TYNDAL | KTK1 Inc | BHPL | Invalidated |
| RO-06 | Ravula Satyapal | 2270203 | GENERAL MAZDOOR | S&PC - MM | MMR | Referred to ENT CMB |
| RO-07 | Singiri Chandraiah | 2811368 | TRAMMER | RK7 Inc | SRP | Invalidated |

NOTE: * HC REFERRAL = HIGHER CENTRE REFERRAL

*R = EARLIER HIGHER CENTRE REVIEW CASES APPEARED FOR TODAY'S BOARD

- a). THOSE WHO ARE INVALIDATED SHOULD NOT BE ALLOWED FOR DUTY
- b). THOSE WHO ARE MADE FIT FOR SAME JOB CAN ATTEND THEIR DUTIES
- c). THOSE WHO ARE MADE UNFIT FOR UNDERGROUND AND FIT FOR SURFACE TO BE KEPT UNDER SICK ROLLS TILL RECEIVING OFFICE ORDERS
- d). THOSE WHO ARE ADVISED FOR REVIEW/HIGHER CENTRE REFERRAL TO BE KEPT UNDER SICK ROLLS AND THEY SHOULD APPROACH AT RESPECTIVE AREA


CHIEF MEDICAL OFFICER
CHIEF MEDICAL OFFICER
 The Singareni Collieries Co. Ltd.,
 MAIN HOSPITAL
 KOTHAGUDEM-507 101, Telangana