



THE SINGARENI COLLIERIES COMPANY LIMITED

(A GOVT. COMPANY)


RESULTS OF THE CORPORATE MEDICAL BOARD HELD ON 27.08.2026

SL. No	Employee Name	Employee Code	Designation	Personnal Subarea	Personnal Area	Result
1	Damuka Rajesham	1706926	COAL CUTTER	KTK5 Inc	BHPL	Unfit for Underground & Fit to work as General Assistant on Surface.
2	Dara Bikshapathi	2317348	VALVE OPRTR	GM Office - MM	MMR	Fit for Same Job
3	K Kishan Reddy	482309	EP SR MECHANIC	GDK OC I	RG.III	Fit for Same Job
4	Kannoju Nageshwara Rao	2327961	SR MININGSIRDAR(MSH)	Kasipeta	MMR	ABSENT
5	Vemuri Sayamma	119875	SWEEPER	Main Hospital	CORP	ABSENT
6	Durgam Shankar	1230111	CHARGER-SAFETY LAMP	GDK11A Inc	RG.I	ABSENT
7	Kadali Venkataramana	4039807	STORES ISSUE ASST	OC Stores - MNG	MNGR	Fit for Same Job
8	Kamooja Venkateswara Rao	2319641	TRAMMER	KTK5 Inc	BHPL	Invalidated
9	Budde Prabhakar	2901854	ELECTRICIAN	Area WS - SRP	SRP	ABSENT
10	Santhapuri Ramachandar	1471791	SUPPORT MAN	GDK11A Inc	RG.I	Invalidated
11	Madduri Rajamallu	948232	COAL CUTTER	GDK1 Inc	RG.I	Unfit for Underground & Fit to work as General Assistant on Surface.
12	Ganapaka Narsinga Rao	2628367	HEAD OVERMAN	GDK CM(2,2A&5)	RG.I	Fit for Same Job
13	Mattaparthi Venkateswar Rao	2569092	HAULAGE OPRTR	KK5 Inc	MMR	ABSENT
14	Adicherla Chendraiah	2936320	LINEMAN	SRP3 Inc	SRP	Fit for Same Job
15	Seedara Ramachander	290435	OFFICE ATTENDANT	GM Office - KGM	KGM	Fit for Same Job
16	Asam Shankar	2314120	HEAD OVERMAN	KK OCP	MMR	Fit for Same Job
17	Dasari Shankaraiah	1155874	GENERAL ASSISTANT	KTK5 Inc	BHPL	Unfit for Underground & Fit to work as General Assistant on Surface.
18	Silveri Mallesh	442090	COAL CUTTER	KTK1 Inc	BHPL	Invalidated
19	Katta Karunakar	2821957	HEAD OVERMAN	SRP OC2	SRP	ABSENT
20	Chilukuri Srinivasulu	208535	PUMP OPRTR	Padmavathikhani	KGM	Fit for Same Job
21	Godisela Rajaiah	915768	GENERAL ASSISTANT	KTK5 Inc	BHPL	Referr to Higher Centre
22	Dharni Sammaiah	2272386	GENERAL ASSISTANT	GM Office - SRP	SRP	Invalidated
23	Dandeboina Sammaiah	2328860	GENERAL ASSISTANT	GM Office - MM	MMR	ABSENT
24	Thatikonda Damodar	1447417	EP FITTER-CUM-MECHAN	GDK CM(2,2A&5)	RG.I	Fit for Same Job
25	Sabbani Sampath Rao	287610	COAL CUTTER	Padmavathikhani	KGM	Invalidated

[Signature]
27/8/26
CHIEF MEDICAL OFFICER


RESULTS OF THE CORPORATE MEDICAL BOARD HELD ON 27.08.2026

SL. No	Employee Name	Employee Code	Designation	Personnal Subarea	Personnal Area	Result
26	M Viswanadam	2551536	FITTER	KTK1 Inc	BHPL	ABSENT
27	ABDUL RAZAK	2552621	EP OPRTR	GDK OC III	RG.II	Fit for Same Job
28	Ittaboina Odenna	2124185	SR SECURITY GUARD	S&PC-RGIII	RG.III	ABSENT
29	Adabathula Linagaiah	899776	GENERAL ASSISTANT	GDK2 Inc	RG.I	Invalidated
30	Mandala Sudarshanam	4005824	CONVEYOR OPRTR	PK OC	MNGR	Fit for Same Job
31	Thudi Rajaiah	2272221	LINEMAN	Kasipeta	MMR	Unfit for Underground & Fit to work as General Assistant on Surface.
32	Chippa Ramaswamy	906688	GENERAL ASSISTANT	CSP GDK1	RG.I	Fit for Same Job
33	Munesh Valmiki	2546785	SWEEPER (NIGHT SOIL)	Area Hosp-MM	MMR	ABSENT
34	M K Benher Kumar	2905793	GENERAL ASSISTANT	IK1A Inc	SRP	Unfit for Underground & Fit to work as General Assistant on Surface.
35	Rokkala Balachander Rao	223056	EP FITTER	PK OC	MNGR	ABSENT
36	Kumbam Sammaiah	2758065	GENERAL ASSISTANT	SRP OC2	SRP	ABSENT
37	Kallepalli Krishna Swamy	2261911	ASST SUPDT SPL GR	Area WS - BHP	BHPL	ABSENT
38	Vanam Ravi Kumar	2101349	HEAD OVERMAN	Kasipeta-2 Inc	MMR	ABSENT
39	Adepu Rajesham	1139412	GENERAL ASSISTANT	GDK OC III	RG.II	Fit for Same Job
40	Aazi Miya	2353247	PUMP OPRTR	KTK6 Inc	BHPL	Fit for Same Job
41	B Suneetha	2003169	SWEEPER (NIGHT SOIL)	Area Hosp -BPA	BPA	Fit for Same Job
42	Dasari Shankaraiah	1208546	HAULAGE OPRTR	GDK11A Inc	RG.I	Unfit for Underground & Fit to work as General Assistant on Surface.
43	Vasam Rama Rao	444597	LINEMAN	KTK1 Inc	BHPL	Unfit for Underground & Fit to work as General Assistant on Surface.
44	Cheerla Raji Reddy	2825896	GENERAL ASSISTANT	SRP OC2	SRP	ABSENT
45	Malyala Srinivas	2797271	FITTER	Area WS - SRP	SRP	Fit for Same Job
46	Ch Ramkrishna	112637	COOK	Main Hospital	CORP	Fit for Same Job
47	Salla Biksha Pathi	949628	EP OPRTR	GDK OC III	RG.II	Invalidated
48	Kondapalli Krishna	421913	TRAMMER	GDK2 Inc	RG.I	ABSENT
49	Chinthala Kistaiah	2339447	SR MININGSIRDAR(MSH)	Kasipeta	MMR	ABSENT
50	Medipalli Amrutha Rao	2902494	SDL OPRTR	RK7 Inc	SRP	Invalidated


 27/8/26
CHIEF MEDICAL OFFICER


RESULTS OF THE CORPORATE MEDICAL BOARD HELD ON 27.08.2026

SL. No	Employee Name	Employee Code	Designation	Personnal Subarea	Personnal Area	Result
51	Thirumani Rajesham	2274168	TIMBER YARD WORKMAN	GM Office - SRP	SRP	ABSENT
52	Md Wahad Sharif	2890697	GENERAL ASSISTANT	KTK6 Inc	BHPL	ABSENT
53	B Shekhar Rao	2542854	FOREMAN I/C(ELEC)-DH	RK5 Inc	SRP	ABSENT
54	Boddu Nambaiah	2629876	SR MININGSIRDAR(MSH)	RK7 Inc	SRP	Unfit for Underground & Fit to work as General Assistant on Surface.
55	Gasikanti Shanker	2285020	FITTER	SRP OC2	SRP	ABSENT
56	Gandamala Jakraiah	2637358	TIMBER YARD WORKMAN	GM Office - SRP	SRP	ABSENT
57	G Srinivasa Reddy	2628943	WAGON LOAD&SHUNT AST	CSP - SRP	SRP	Fit for Same Job
58	Bhogi Mogili	2070409	LINEMAN	KTK8 Inc	BHPL	Unfit for Underground & Fit to work as General Assistant on Surface.
59	Bodduna Sanjeev Kumar	947731	GENERAL ASSISTANT	GDK1 Inc	RG.I	Unfit for Underground & Fit to work as General Assistant on Surface.
60	Bairi Ravinder	2785787	LAMP FITTER	GDK OC III	RG.II	Fit for Same Job
61	Medagoni Swamy	902498	GENERAL ASSISTANT	GDK CM(2,2A&5)	RG.I	Fit for Same Job
62	E V Sathya Narayana	2014495	EP FITTER-CUM-MECHAN	JVR OC-II	KGM	Fit for Same Job
63	Gudelli Prabhakar	2369874	PUMP OPRTR	Kasipeta-2 Inc	MMR	Unfit for Underground & Fit to work as General Assistant on Surface.
64	Bojja Venkata Swamy	229028	GENERAL ASSISTANT	VK Workshop	KGM	Fit for Same Job
65	Mulkalapalli Venkateshwarlu	2226783	FOREMAN(MEC/AUT)-NDH	Area WS -MM	MMR	ABSENT
66	Mididoddi Hariraju	4000060	ASST SUPDT SPL GR	GDK OCII Stores	RG.III	Fit for Same Job
67	Bavu Chandra Mohan	2577427	SR MININGSIRDAR(MSH)	GDK11A Inc	RG.I	ABSENT
68	Gujja Srinivas	2868674	PUMP OPRTR	GM Office - BPA	BPA	Fit for Same Job
69	Yemundla Yellaiah	2884272	GENERAL ASSISTANT	RK7 Inc	SRP	Unfit for Underground & Fit to work as General Assistant on Surface.
70	Dharavath Baliya	4042533	SR MININGSIRDAR(MSH)	Padmavathikhani	KGM	ABSENT
71	Bapathu Ramakrishna Reddy	2243646	FITTER	GM Office - RGI	RG.I	Invalidated


CHIEF MEDICAL OFFICER

RESULTS OF THE CORPORATE MEDICAL BOARD HELD ON 27.08.2026

SL. No	Employee Name	Employee Code	Designation	Personnal Subarea	Personnal Area	Result
72	Syed Anwar Ali	1462530	GENERAL ASSISTANT	GDK11A Inc	RG.I	Unfit for Underground & Fit to work as General Assistant on Surface.
73	Illandula Swamy	1447069	FITTER (OCPS)	GDK OC I	RG.III	Fit for Same Job
74	Nakkidapu Koteswar Rao	4057130	GENERAL ASSISTANT	PK OC	MNGR	ABSENT
75	D Muthaiah	2879463	DY SUPDT GR A	Area Hosp - SRP	SRP	Fit for Same Job
76	Gujja Rajanna	2336368	SR SECURITY GUARD	S&PC - MM	MMR	Fit for Same Job
77	P Chandra Goud	501894	JAMEDAR	S&PC - MM	MMR	ABSENT
78	Yada Madhu Babu	4056485	GENERAL ASSISTANT	PK OC	MNGR	Fit for Same Job
79	Ayindala Srinivas	2554819	SAMPLING ASSISTANT	CSP I RKP	MMR	Fit for Same Job
80	Dasari Govardhan Rao	1447467	DUMPMAN/TRIPMAN	GDK OC I	RG.III	Invalidated
81	Sidda Sammaiah	984848	FITTER	Area WS - RGII	RG.II	Fit for Same Job
82	Sk Riyaz	881799	TYNDAL SUPERVISOR	VK Workshop	KGM	ABSENT
83	Chandra Vidya Sagar	2056586	MOTOR MECHANIC	Area WS - BHP	BHPL	Fit for Same Job
84	Bandi Lingaiah	1165879	EP WELDERS (NEW)	GDK OC II	RG.III	Fit for Same Job
85	Irugurala Rajaiah	890196	MUNSHI	GDK2 Inc	RG.I	Referr to Higher Centre
86	Kanthala Malla Reddy	2630607	GENERAL ASSISTANT	VKP(GDK9 Inc)	RG.II	ABSENT
87	Mallikarjuna Janardhan Reddy	1477771	EP HELPER/GREASER	GDK OC II	RG.III	ABSENT
88	Banda Kotaiah	441963	PUMP OPRTR	Padmavathikhani	KGM	Fit for Same Job
89	Shenigerapu Shankar	295443	RIGMAN	Padmavathikhani	KGM	ABSENT
90	Gajula Devaputra	1765271	GENERAL ASSISTANT	KTK5 Inc	BHPL	ABSENT
91	Kandi Srinivas	809836	ELECTRICIAN	Area WS - RGI	RG.I	ABSENT
92	Surasi Surender	1437218	EP OPRTR	GDK OC II	RG.III	ABSENT
93	Gali Sreenivasa Rao	4036312	FOREMAN I/C(ELEC)-DH	MNG OC	MNGR	ABSENT
94	Jakkula Rajanna	2258633	ELECTRICIAN	Area WS -MM	MMR	ABSENT
95	Gandra Sheshagirirao	1429354	ASST SUPDT SPL GR	GDK OCII Stores	RG.III	ABSENT
96	Agolapu Satyanarayana	1118385	FITTER	GM Office-RGIII	RG.III	Invalidated
97	Appani Nagaiah	2266806	ELECTRICIAN	Area WS -MM	MMR	ABSENT
98	Sirikonda Anandam	2512809	SR MININGSIRDAR(MSH)	RK5 Inc	SRP	Unfit for Underground & Fit to work as General Assistant on Surface.
99	Ancha Venkataswarlu	4036922	EP WELDERS (NEW)	PK OC	MNGR	ABSENT
100	Gunda Srinivas	1408489	HELPER	GDK11A Inc	RG.I	Invalidated


CHIEF MEDICAL OFFICER


RESULTS OF THE CORPORATE MEDICAL BOARD HELD ON 27.08.2026

SL. No	Employee Name	Employee Code	Designation	Personnal Subarea	Personnal Area	Result
101	Mallampati Ravi	4030120	FITTER (OCPS)	GDK OC I	RG.III	Fit for Same Job
102	Gubbala Nagabushana Rao	2307351	M V DRIVER	CSP - Kondapura	MNGR	Fit for Same Job
103	Kalukola Baburao	290045	GENERAL ASSISTANT	Padmavathikhani	KGM	Referr to Higher Centre
104	Talari G M R Sumangali	959291	SR STAFF NURSE	Area Hosp - RGI	RG.I	ABSENT
105	Kondu Sathaiah	2019770	DUMPMAN/TRIPMAN	Khairagura OC	BPA	ABSENT
106	Dasari J S Vardhan Rao	4067410	DY SUPDT GR A	OC Stores - MNG	MNGR	Fit for Same Job
107	Nalvala Sammaiah	2313255	GENERAL ASSISTANT	CSP I RKP	MMR	Fit for Same Job
108	Gaddam Mallesham	1236214	EP FITTER	GDK OC I	RG.III	Fit for Same Job
109	Nareddy Sammireddy	885484	SHOT FIRER	GDK1 Inc	RG.I	ABSENT
110	Adavala Ravinder	2757205	FITTER	Area WS - SRP	SRP	Fit for Same Job
111	Ch Prabhakara Sarma	2551366	FITTER	Area WS -MM	MMR	ABSENT
112	Muddasani Vinoda	2640026	SWEEPER	GM Office - MM	MMR	Fit for Same Job
113	N Thirupathi Reddy	878534	ELECTRICIAN	Area Hosp - BHP	BHPL	ABSENT
114	Meduri Ranga Nath	2752467	EP ELECTRICIAN	GDK OC II	RG.III	ABSENT
115	Talakola Srinivas Reddy	299609	DRILL OPRTR	PK OC	MNGR	ABSENT
116	Sudharshan Rao Vunnam	4038542	EP OPRTR	PK OC	MNGR	ABSENT
117	Sambaiah Nagelli	951382	HEAD OVERMAN	GM Office-RGIII	RG.III	ABSENT
118	Kalaveni Rajamouli	967595	JR INSPECTOR	S&PC -RGII	RG.II	ABSENT
119	M Mallesh	2623757	TRAMMER	KK5 Inc	MMR	Fit for Same Job
120	G Srinivasa Chary	2108456	ELECTRICIAN	Area WS -MM	MMR	Fit for Same Job

NOTE: * HC REFERRAL = HIGHER CENTRE REFERRAL

*R = EARLIER HIGHER CENTRE REVIEW CASES APPEARED FOR TODAY'S BOARD

- THOSE WHO ARE INVALIDATED SHOULD NOT BE ALLOWED FOR DUTY
- THOSE WHO ARE MADE FIT FOR SAME JOB CAN ATTEND THEIR DUTIES
- THOSE WHO ARE MADE UNFIT FOR UNDERGROUND AND FIT FOR SURFACE TO BE KEPT UNDER SICK ROLLS TILL RECEIVING OFFICE ORDERS
- THOSE WHO ARE REFERRED TO HIGHER CENTRE ,THEY SHOULD APPROACH AT RESPECTIVE AREA HOSPITALS FOR FURTHER PROCESS & SUBMIT THEIR REPORTS WITH IN 10 DAYS AT THEIR RESPECTIVE MINES/DEPARTMENTS WITH SELF ATTESTATION & THEY SHOULD BE ALLOWED FOR DUTY AFTER SUBMISSION OF MEDICAL REPORTS


CHIEF MEDICAL OFFICER
 The Singareni Collieries Co. Ltd.
 MAIN HOSPITAL
 KOTHAGUDEM-507 101, Telangana