



**THE SINGARENI COLLIERIES COMPANY LIMITED**  
**(A GOVT. COMPANY)**  
**AREA PURCHASE DEPARTMENT, YELLANDU AREA.**

P.O YELLANDU  
PIN CODE: 507 124  
DISTRICT: BHADRADRI ,Telangana  
INDIA.

E-Mail: pd\_yld@scclmines.com  
Telephone: 08745-240210  
Grams: MANAGER  
FAX:08745-240348  
Phone:08725-240210

Ref.No.YLD/PD/Tender/YL124O0016/2024-25/165

Date:13.07.2024

**TENDER NOTICE**

Sub: Hiring of Conveyance Vehicles for use at JK5 OCP Mine and Area Hospital at Yellandu Area on Unit Rate System - Reg.

Ref: Tender No: YL124O0016; Dt:11.07.2024.

\*\*\*\*

Applications are invited from interested vehicle owners to deploy 3(Three) No. of Vehicles along with Driver (s) for use at Yellandu Area of SCCL situated in District Bhadradi Kothagudem of Telangana State with the following Terms & Conditions.

**1.Details of Vehicles Required:**

Sl. No.	Type Of Vehicle	Qty (In No's)	Monthly Run	Availability Per Day	Contract Period	For Use at
1.	2WD AC Multi Utility Vehicle/Jeep	1	1000 KM	12 Hrs	3 Years	Project Officer, JK5OC Yellandu Area
2.	2WD Non -AC Multi Utility Vehicle/Jeep	1	2000 KM	12 Hrs	3 Years	Colliery Manager, JK5OC Yellandu Area
3.	Non-AC Ambulance	1	1000KM	24 Hrs	5 Years	Area Hospital Yellandu Area

**2. Specifications of the vehicles to be deployed:**

**a) Sl.No.1:- 2WD AC Multi Utility Vehicle**

Sl. No.	Description	Remarks
1.	Model of the vehicle	First time registered after opening of the tender meeting BS-VI Norms.
2.	Wheel Drive	2 Wheel Drive
3.	Maximum power	70HP or above
4.	Fuel	Diesel
5.	Seating Capacity	6+1or Above.
6.	Body	Closed body type Hard Top body
7.	Other Specifications:	Seat belt & Seat belt Reminder. Auto dipping system for head lights

Contd..2

**b) SI.No.2:- 2WD Non-AC Multi Utility Vehicle**

Sl. No.	Description	Remarks
1.	Model of the vehicle	First time registered after opening of the tender meeting BS-VI Norms.
2.	Wheel Drive	2 Wheel Drive
3.	Maximum power	70HP or above
4.	Fuel	Diesel
5.	Seating Capacity	6+1or Above.
6.	Body	Closed body type Hard Top body
7.	Other Specifications:	Seat belt & Seat belt Reminder. Auto dipping system for head lights

**c) i) SI.No.3 Deployment of 1 No of Non-AC Ambulance**

1	Engine	BS6, 65KW or above
2	Clutch	Single plate dry friction Clutch / hydraulic operated
3	Gear box	Minimum 4 speed, Synchronesh option 6 speed 5FW, IR.
4	Brakes	Internally expanding, Hydraulic or vacuum assisted hydraulics with ABS
5	Frame	Ladder type
6	Suspension	Leaf springs and telescopic shock absorbs/Coil springs
7	Wheels	4 wheels / 6 wheels
8	Tyres	7.00x15 10pr/ 7.5-16-10pr
9	Battery	12 Volts DC 70AH and above
10	Wheel base	2650 to 3450 mm
11	Overall length	4500 to 5750 mm
12	Overall width	1850 to 2100 mm
13	Steering	Worm & roller/recirculation ball type/power assisted (power steering)
14	Parking	Mechanical on rear wheels

**ii) Requirements (compulsory)**

The Ambulance should be of standard design and should have minimum two stretcher holders cum flat seats both sides with suitable thickness and flat foam cushion seats to avoid discomfort to the patient, one scoop stretcher, two attendants seats in patients cabin, one Doctors seat in Drivers Cabin, stand for 2 saline bottles, Hangers for I.V. Fluids preferably with bottle immobilizer, First Aid Box, Drug Cabinet, Water Tank and Wash Basin etc.

- Monococque Type Body (108 Type Model)
- Vinyl Flooring which should be easily washable and for the purpose of disinfecting the Ambulance after shifting of the patient.
- Seat Belts/Restraints both for patients and the attendant seat should be provided. One Foldable wheel chair should be provided in the Ambulance
- Stretcher – 1 No

- Two Fans to be provided in the cabin.
- Multiple handle bars to be fixed.
- Multiple CFL Light points to be provided.
- Wall clock to be fixed in the cabin.
- Provision for Mobile charger to be fixed.
- Two-way communication with cabin/driver.
- O2 cylinder to fix with sufficient clamps to avoid movement and sound during running.
- Space for all medical equipment i.e. Ventilator, Multipara Monitor, Defibrillator, Infusion pump, Suction apparatus and Monitors etc.,
- Aluminium / HindAluminium pull out stretchers.
- Extra battery / large capacity to run the equipment.
- Room thermometer to be fixed in the cabin.
- Fire extinguisher to be provided.
- Provision for fixing sphygmomanometer 15cm dials type.
- Provision for Emergency medical kit or drug kit.
- Modern and plush interiors with neat and excellent finish.
- The statutory items/fixtures for ambulance should be fixed ie emergency lights, back lights, warning lights, front light bar and siren etc.
- Suction apparatus is to be provided and fixed in the patient cabin.
- Intubation Kit is also to be provided and fixed in the patient cabin
- To Sufficient fuel shall be kept in the tank of the Ambulance to complete the trip.
- **Provision of GPS system to monitor through our VTS System to know the movement & proper usage of Ambulance**
- To display the Driving License of the concerned driver in the Ambulance, driver should wear ID card issued by concerned authorities and also the driver shall wear shoes and Uniform
- The Area GM/GM(E&M) Transport has right to refuse the person responsible for contravention if any to enter in to the premises of the Company's establishments till the cause of such contravention is removed or informed in writing of the corrective action taken by contractor with an assurance about non-recurrence of such contravention.

#### **Common Specifications for the above Vehicles:**

All the vehicles should incorporate the required features, as specified vide DGMS (Tech) Circular No. 06 of 2020, Dt.27.02.2020

The important features for LMVs are as follows:

- a) Seat belt and seat belt reminder
- b) Auto dipping system for head lights

\* The vehicle should be in the name of successful contractor

Note: i) The above mentioned quantities are tentative and may increase or decrease.

- ii) **As per Circular Vide.No:CRP/MP/Sec-19/Uniform Policy/1976; Dt:25.04.2024. The contract period is 5 years for Ambulance only based on condition and performance of the vehicle.**

**3) Model of the Vehicle:** First Time Registered after opening of the tender, the vehicle should be in the name of the successful contractor only.

#### 4) Eligibility criteria.

Preference for awarding the contract will be given in the following order.

- a) **1<sup>st</sup> Category** :Project Affected Persons means project displaced persons and Land oustees come under 1<sup>st</sup> category and they will be treated equally.

**Note:** If 1<sup>st</sup> category persons are not available then 2<sup>nd</sup> category persons will be given opportunity.

- b) **2<sup>nd</sup> Category**: Dependents of Ex-Employees of SCCL who are not provided job or Ex- Employees of SCCL come under 2<sup>nd</sup> category.

**Note:** If 2<sup>nd</sup> category persons are not available then 3<sup>rd</sup> category persons will be given opportunity.

- c) **3<sup>rd</sup> Category**: Others come under 3<sup>rd</sup> category

Persons falling under category 1 & 2 are permitted to deploy one vehicle per head only. Further, it is to inform that first preference will be given to YLD Area persons only. If no response is received within the Area, then the offers of the other Areas will be considered in the same order of eligibility criteria.

Project displaced persons and land oustees, ex-employees/dependents of ex-employees who have been allotted/already selected for deployment of vehicle at any Area of SCCL under unit rate system are not eligible for this Enquiry and the same is to be confirmed by the Applicants.

After completion of the tender process and placement of order, if it is found that the person is already allotted / selected for deployment of vehicle at any other Area of SCCL, the vehicle will be withdrawn immediately and EMD and Security Deposit and pending bills, if any, will be Forfeited.

- 5) If the Tenderer is a Project affected person / Project displaced person, his tender should accompany the following letter duly signed by the Tenderer with the following details.

- a. Extent of land acquired
- b. Survey No.
- c. Village.
- d. Mandal.
- e. Award No & date .
- f. Purpose for which it was acquired.
- g. Certificate from the Govt.Authorities about his identity.

Therefore, the eligibility of Tenderer under the above Category is subject to verification of the genuineness of the details submitted by the Tenderer

- 6) In case of Dependents of Ex-employees of SCCL, who were not provided job or Ex-employees of SCCL, they should submit any of the following document to the respective Personnel Department of SCCL of that Area.

**SCCL Identity card / Hospital Book SCCL Pay slip with Employee code No.**

After submitting any of the above, they should get Certificate that he is dependent of Ex-employee of SCCL or Ex-employee of SCCL from that Area and submit the same to In-charge, personnel Dept., YLD Area, further, the In-charge, Personnel Department, YLD Area will forward the same to be enclosed to the application after due certification.

**Without the above documents, the applications received cannot be considered for preference category.**

- 7) In case the tenderer is Driver-cum-owner, he is required to submit the relevant Documents (valid driving license etc.)
- 8) Draw will be conducted for number of firms equal to the number of vehicles. Firms will be Selected. Additionally, a number of firms equal to twice the number of vehicles will also be selected in the lottery and will be kept as standby.
- 9) All the above firms which are selected in the lottery along with standby Firms selected in lottery will be given lottery serial number and sent for technical evaluation.
- 10) On confirming the Technically and Commercially Acceptability the Firms which are standing in lottery serial will be considered for the award of contract. Firms in the standby list will be considered for award of contract as per serial number in the lottery list on confirming their technically and commercially acceptability if any dropouts before their serial number.

The standby list will be maintained for a period of 2(Two) years from the date of opening of concerned enquiry for future requirements of vehicles, if any.

**11) Security Deposit:**

**a) For 2WD AC & Non-AC Multi Utility Vehicles & Non AC Ambulance:**

EMD of Rs.7500/-(Rupees seven thousand five hundred only) per vehicle shall be submitted along with Tender and the successful tenderer shall deposit sum of Rs.5,000/- For 2WD AC & Non-AC MUV(Rupees Five thousand only) and 10,000/- For Non-AC Ambulance (Rupees Ten Thousand only) per each vehicle as security deposit by way of DD within two weeks from the date of commencement of work. Persons falling under 1<sup>st</sup> & 2<sup>nd</sup> category are exempted from submission of EMD.

- 12) **PROCESSING FEE (Non Refundable):** An amount of Rs.590/- (Rupees Five Hundred and Ninety Only) Rs.500/- +Rs.90/- GST per tender schedule is to be paid by cash only, at the office of the General Manager, Yellandu. On submission of paid receipt, Tender Schedule can be obtained from the Office of SE(E&M), Purchase Department at General Manager Office, (PO) Yellandu, Bhadradi Kothagudem District-507124 from **15.07.2024** on any working day between 10:00AM to 04:30PM.

- a) Last date for issue of Tender Schedules : 04.08.2024 upto 4:30 PM.  
b) Last date for Receipt of Tender Documents : 05.08.2024 upto 12:00 Noon.  
c) Date of opening of Tender Documents : 05.08.2024 at 03:30 PM.  
d) Date of Draw (Lottery) : Will be intimated later.

The sealed tender documents along with the documents shall be submitted before the due date and time to the following address duly super scribing the cover with the enquiry no. & date and due date of opening of tender. The tenderer shall enclose all the required documents at the time of submission only. **The tenders without proper documents will be rejected.**

THE GENERAL MANAGER,  
THE SINGARENI COLLIERIES COMPANY LIMITED,  
PO:YELLANDU, Dist :BHADRADRI KOTHAGUDEM,  
STATE- TELANGANA., PIN:507124

**Note:-**

- i) Tenders should be posted in a sealed envelope clearly superscripted with enquiry number, date of opening of enquiry, name of the person, address, phone number who is submitting the tender without the above and unsigned quotation will not be considered.
- ii) Sometimes issue of corrigendum may be necessary to clarify the doubts raised by the bidders or to carryout corrections if any. All such corrigendum shall be displayed in company's web site [www.scclmines.com](http://www.scclmines.com) only. The tenderers are therefore advised to visit the said web site from time to time to keep up dated
- iii) For any further assistance tenderers may contact **08745-240210**.

  
General Manager,  
Yellandu Area.