



THE SINGARENI COLLIERIES COMPANY LIMITED
(A GOVT COMPANY)
AREA PURCHASE CELL, MANUGURU

E-Mail: pd_mng@scclmines.com

PIN CODE: 507 117

DISTRICT: BHADRADRI KOTHAGUDEM, T.S.

APGST : WGL/09/2/1211 Dt.21.04.1966.

Sales Tax Regn. No. WEP 1-4-88

Telephone: 08746- 220080

Fax:08746 222206

ST:WGL/09/2/1016 Dt.22.12.1965

TIN: 28150117915

TENDER NOTICE – CORRIGENDUM-III

Ref: MNG/PD/ MN124O0021, Dt. 14.05.2024

- a) Last Date for issue of Tender Documents : 02.11.2024 up to 4.30 PM.
b) Last Date for Receipt of Tender Documents : 04.11.2024 up to 12.00 Noon.
c) Date of opening of Tender Documents : 04.11.2024 at 3.00 PM.

Sub: Corrigendum - Deployment of 3 Nos. of AC Ambulances with 24 hours availability and 1000 Km run per month at Area Hospital and PKOC, Manuguru for a period of 5 years under Unit Rate System – Reg.

Applications are invited from interested vehicle owners for deployment of following vehicle in SCCL, Manuguru situated in Bhadradri Kothagudem District of Telangana State for a period of 5 years under Unit rate system with following terms & conditions.

Corrigendum was already published for change in number of ambulances from 2 Nos. to 3 Nos. Present corrigendum is published for extending the date issue of Tender documents.

1) Details of Vehicle Required:

S. No	Type of Vehicle	Qty In Nos.	Monthly Run	Availability Per day	Contract Period	Deployment at
1	AC Ambulance (UID: 10221)	01	1000 KM	24 hours	5 years	Area Hospital, Manuguru
2	AC Ambulance (UID: 10216)	01	1000 KM	24 hours	5 years	Area Hospital, Manuguru
3	AC Ambulance (UID: 10193)	01	1000 KM	24 hours	5 years	PKOC Manuguru

* Lottery will be conducted for each vehicle.

Note: The above mentioned quantities are tentative and may increase (or) decrease.

(E&M) Purch...
S.C.C.Ltd, M.N.G

(i) Specifications for AC Ambulance with BS-VI Norms

1	Engine	BS6,65KW or above
2	Clutch	Single plate dry friction clutch / hydraulic operated
3	Gear box	Minimum 4 speed. Synchronmesh option 6speed 5FW, 1R.
4	Brakes	Internally expanding, Hydraulic or vacuum assisted hydraulics with ABS
5	Frame	Ladder type
6	Suspension	Leaf springs and telescopic shock absorbers / Coil springs
7	Wheels	4 Wheels / 6 Wheels
8	Battery	12 Volts DC 70AH and above
9	Wheel base	2650 to 3450 mm
10	Overall length	4500 to 5750 mm
11	Overall width	1850 to 2100 mm
12	Steering	Worm & Roller / recirculation Ball type/ Power assisted (power steering)
13	Parking	Mechanical on rear wheels.

(ii) Requirements (compulsory)

- The Ambulance should be of standard design and should have minimum two stretcher holders cum flat seats both sides with suitable thickness and flat foam cushion seats to avoid discomfort to the patient, one scoop stretcher, two attendants seats in patients cabin, one Doctors seat in Drivers Cabin, stand for 2 saline bottles, Hangers for I.V. Fluids preferably with bottle immobilizer, First Aid Box, Drug Cabinet, Water Tank and Wash Basin etc.
- Monococque type body (108 type model)
- Provision of sliding windows should be provided in case of AC System failure
- AC vent should be Roof mounted
- Vinyl Flooring which should be easily washable and for the purpose of disinfecting the Ambulance after shifting of the patient.
- Seat Belts / Restraints both for patients and the attendant seat should be provided. One foldable wheel chair should be provided in the Ambulance.
- Stretcher- 1 No.
- Two fans to be provided in the cabin.
- Multiple handle bars to be fixed.
- Multiple CFL Light points to be provided.
- Wall clock to be fixed in the cabin.
- Provision for Mobile charger to be fixed.
- Two way communication with cabin / driver.
- O2 cylinder to fix with sufficient clamps to avoid movement and sound during running.
- Space for all medical equipment i.e. Ventilator, Multipara Monitor, Defibrillator, Infusion pump, Suction apparatus and Monitors etc.,
- Aluminum / Hindalium pull out stretchers

DGM (E&M) Purchase
S.C.C.Ltd, M.N.G

- Extra battery / large capacity to run the equipment.
- Room thermometer to be fixed in the cabin
- Fire extinguisher to be provided.
- Provision for fixing sphygmomanometer 15cm dials type.
- Provision for Emergency medical kit or drug kit.
- Modern and plush interiors with neat and excellent finish.
- The statutory items / fixtures for vehicle should be fixed i.e. emergency lights, back lights, warning lights, front light bar and siren etc.
- Suction apparatus is to be provided and fixed in the patient cabin.
- Intubation Kit is also to be provided for airway management.
- Sufficient AC i.e of 1.5 Ton capacity AC is to be fitted in AC Ambulance.
- To keep sufficient fuel in the tank of the Ambulance to complete the trip.
- Provision of GPS system to monitor through our VTS System to know the movement & proper usage of Ambulance.
- To display the driving license of the concerned driver in the Ambulance, driver should wear ID card issued by concerned authorities and also the driver shall wear shoes and uniform.
- The Area GM / GM(E&M) Transport has right to refuse the person responsible for contravention if any to enter in to the premises of the company's establishments till the cause of such contravention is removed or informed in writing of the corrective action taken by contractor with and assurance about non-recurrence of such contravention.

Common specifications for the above vehicle:

All the vehicles should incorporate the required features, as specified vide DGMS Circular No. DGMS (Tech) Circular No.06 of 2020 dt. 27.02.2020

The important features for LMVs are as follows:

- a) Seat belt and seat belt reminder
- b) Auto dipping system for head lights

2) Eligibility criteria.

Preference for awarding the contract will be given in the following order.

- a) **1st Category:** Project affected persons means Project displaced persons and Land oustees come under 1st category and they will be treated equally.
Note: If 1st category persons are not available then 2nd category persons will be given opportunity. PAPs/PDPs/ Land oustees should not be in Government employment. Allotment of vehicle to PAP/ PDP including his/ her sons, should be restricted to one vehicle at a time.
- b) **2nd Category:** Dependents of Ex-Employees of SCCL who are not provided job or Ex-Employees of SCCL come under 2nd category.
Note: If 2nd category persons are not available then 3rd category persons will be given opportunity.
- c) **3rd Category:** Others come under 3rd category Persons falling under category 1 & 2 are permitted to deploy **one vehicle per head only**. Further, it is to inform that first preference will be given to MNG Area persons only. If no response is received within the

DGM (E&M) Purchase
S.C.C. Ltd, MNG

Area, then the offers of the other Areas will be considered in the same order of eligibility criteria.

Project displaced persons and land oustees, ex-employees/dependents of ex-employees who have been allotted/already selected for deployment of vehicle at any Area of SCCL under unit rate system are not eligible for this Enquiry and the same is to be confirmed by the Applicants.

After completion of the tender process and placement of order, if it is found that the person is already allotted / selected for deployment of vehicle at any other Area of SCCL, the vehicle will be withdrawn immediately and EMD and Security Deposit and pending bills, if any, will be Forfeited.

- d) If the Tenderer is a Project affected person / Project displaced person, his tender should accompany the following:

Letter duly signed by the Tenderer with the following details.

- i) Extent of land acquired.
- ii) Survey No.
- iii) Village.
- iv) Mandal.
- v) Award NO & date.
- vi) Purpose for which it was acquired.
- vii) Certificate from the Govt. Authorities about his identity.
- viii) Copies of PAN and Adhar Card

Therefore, the eligibility of Tenderer under the above Category is subject to verification of the genuineness of the details submitted by the Tenderer.

- e) In case of Dependents of Ex-employees of SCCL, who were not provided job or Ex-employees of SCCL, they should submit any of the following documents to the respective Personnel Department of SCCL of that Area.

SCCL Identity card / Hospital Book/SCCL pay slip with Employee code No. After submitting any of the above, they should get Certificate that he is dependent of Ex-employee of SCCL or Ex-employee of SCCL from that Area and submit the same to In-charge, personnel Dept., MNG Area, further, the In-charge, Personnel Department, MNG Area will forward the same to be enclosed to the application after due certification.

Without the above documents, the applications received cannot be considered for preference category.

- f) In case the tenderer is Driver-cum-owner, he is required to submit the relevant documents (valid driving license etc.).

- g) Lottery system will be conducted among all the received bids by:

Lottery shall be conducted in Unit rate Vehicles enquiries among all, the received bids by intimating the convenient date of draw to the firms who have submitted the bids for the enquiry. The date of draw shall be intimated by displaying on Notice Boards in all Areas and corporate.

- h) Draw will be conducted for number of firms equal to the number of vehicles and the firms will be selected. Additionally a number of firms equal to twice the number of vehicles will also be selected in the lottery and will be kept as standby.

- i) All the above firms which are selected in the lottery along with standby firms selected in lottery will be given lottery serial number and sent for technical evaluation.

- j) On confirming the technical and commercial acceptability the firms which are standing in lottery serial will be considered for the award of contract. Firms in the standby list will be considered for award of contract as per serial number in the lottery list on confirming their technical and commercial acceptability if any dropouts before their serial number. The standby list will be maintained for a period of 2(Two) years from the date of opening of concerned enquiry for future requirements of vehicles, if any

3) Tender Evaluation process:

Successful Tenderer shall be decided through draw of lots among the applicants who wish to carry out the work as per the priorities given at eligibility criteria:

NOTE: Offers received from prospective Tenderers of Manuguru Area who fall under 1st & 2nd Category will be given first preference for choosing Successful Tenderer. If no response is received from MNG Area, the offers of other Areas of SCCL will be taken into consideration.

The SCCL reserves the right to reject any or all the tenders without assigning any reason.

4) Proposed hired rates for the enquired vehicle.

S. No	Type of Vehicle	Qty In Nos.	Monthly Runs	Availability Per day	Contract Period	Deployment at
1	AC Ambulances	03	1000 KM	24 hours	5 years	Area Hospital and PKOC Manuguru.

(i) Rate for AC, Ambulance with BS-VI norms

S. No.	Description	AC Ambulance with 24 hours per day up to 1000 km monthly Run
1.	Monthly rate for Deployment of AC, Ambulance	Rs. 93,294.00
2.	Rate per extra KM beyond scheduled KMs run	Rs. 9.85
3	Rate per extra HR beyond scheduled HRs run	Rs. 82.31
4	Daily Allowance for the Driver for out station trips(As per Dir(P,A&W) circular as on date 01.10.2022	Rs.300.00

Note: The above base rates as per the circular No.CRP/MP/Sec.19/Unit rate/2021/247 dt. 18.01.2021 unit rates for the above AC Ambulance:

- I. For, AC Ambulance as per the basic price of ₹ 81.47 per Ltr as on 31.12.2020 and minimum wage (semi skilled) is ₹ 500.00 per day M = 0.09 and MF=3 for 24 hrs availability
- II. Diesel price & minimum wages to be specified for the above unit rates as per above circular except DA for the driver for outstation trips.
- III. New Minimum Wages Rate (for Skilled driver) & New DA: Applicable

As per Director (P,A&W)circular No.CRP/PER.IR/1495 Dt: 21.11.2022 & GM,MP Ltr no.CRP/MP/Sec-19/5665 Dt:06.12.2022.(as on dt: 01.10.2022)

- IV. The prices shall be corrected by time to time in accordance with the PVC clause given at point No. 23 in tender schedule.
5. **Processing fee:** ₹ 590/- (Rupees Five hundred ninety only) for Tender shall be paid in the form of cash only at cash office, Manuguru Area and the voucher shall be submitted along with application.
 6. **EMD and Security Deposit:** EMD of ₹ 10,000.00 (Rupees Ten thousand only) for vehicle shall be submitted by way of DD only payable at SBI / Andhra Bank in favor of The Singareni collieries Co.Ltd., payable at Manuguru only along with application. The successful tenderer shall deposit a sum of **Rs. 5,000/-** (Rupees Five thousand only) for vehicle as security deposit by way of DD within two weeks from the date of commencement of work.
 7. PROJECT AFFECTED PERSONS, EX-EMPLOEES OF SCCL AND DEPENDENTS OF EX-EMPLOYEES ARE EXEMPTED FOR PAYMENT OF EMD. OTHERS SHALL PAY AN AMOUNT OF RS. 10,000.00 FOR VEHICLES TOWARDS EMD.
 8. Tender Schedule can be obtained from O/o DGM(E&M),Purchase Department, O/o General Manager, (PO) Manuguru , Bhadradi Kothagudem District **30.10.2024** onwards on any working day between 10:00 AM to 16.30 PM on payment of Rs.590/- for Tender towards Tender processing Fee at cash office, F&A Dept., Manuguru Area.
 9. The sealed tender documents along with the EMD shall be submitted before the due date and time to the following address duly super scribing the cover with the enquiry no. & date and due date.

**THE GENERAL MANAGER,
THE SINGARENI COLLIERIES COMPANY LIMITED,
MANUGURU - 507117, Dist: BHADRADRI KOTHAGUDEM,
TELANGANA STATE.**

Note-I: Tenders should be posted in a sealed envelope clearly super scribed with enquiry number, date of opening of enquiry, name of the person, address, phone number who is submitting the tender. Without the above and unsigned quotation will not be considered.

Note-II: Sometimes issue of corrigendum may be necessary to clarify the doubts raised by the bidders or to carryout corrections if any. All such corrigendum shall be displayed in company's web site www.scclmines.com only (route: **Tenders>Material procurement >Area tenders**).The tenderers are therefore advised to visit the said web site from time to time to keep them up -dated..

**For General Manager
Manuguru Area.**

**DGM (E&M) Purchase
S.C.C.Ltd, M.N.G**