

THE SINGARENI COLLIERIES COMPANY LIMITED

(A Government Company)
GOLETI: BELLAMPALLI

TENDER NOTICE

Ref No.: BPA/PD/ BP123 O 0057/23-24/170

Dt: 27.06.2024

1. Sealed tenders are invited from prospective tenderers for Hiring of 03 No.s of AC Ambulances for Goleti & Madaram Dispensaries and Area Hospital, Bellampalli Area of SCCL under unit rate system for a period of 5 years.

2. Quantity Required, Specifications:

SI. No	Vehicle Type	Monthly slab	availability	For Use at	UID	Qty
1	Ambulance AC	1000KM	24Hrs	Madaram Dispensary	10563	1 No.
2	Ambulance AC	1000KM	24Hrs	Area Hospital BPA	10562	1 No.
3	Ambulance AC	1000KM	24Hrs	Goleti Dispensary	10564	1 No.

Contract period :- 5 years

Note: The above mentioned quantities are tentative and may increase or decrease

A. Specifications for AC Ambulance:

1	Engine	BS6, 65KW or above		
2	Clutch	Single plate dry fiction clutch/ Hydraulic operated		
3	Gear Box	Minimum 4 speed. Synchromesh option 6 speed 5FW, IR.		
4	Brakes	Internally expanding, Hydraulic or vacuum assisted hydraulics with ABS		
5	Frame	Ladder type		
6	Suspension	Leaf springs and telescopic shock absorbs/ Coil Springs		
7	Wheels	4 Wheels / 6 Wheels		
8	Tyres	7.00 x 15 10pr /7.50 - 16 - 10pr		
9	Battery	12 Volts DC 70AH and above		
10	Wheel Base	2650 to 3450 mm		
11	Overall length	4500 to 5750 mm		
12	Overall width	1850 to 2100 mm		
13	Steering	Worm & Roller /recirculation Ball type / Power assisted (Power steering)		
14	Parking	Mechanical on rear wheels.		

B. Requirements (Compulsory)

The Ambulance should be of standard design and should have minimum two stretcher holders cum flat seats both sides with suitable thickness and flat foam cushion seats to avoid discomfort to the patient, one scoop stretcher, two attendants seats in patients cabin, one Doctors seat in Drivers Cabin, stand for 2 saline bottles, Hangers for I.V. Fluids preferably with bottle immobilizer, First Aid Box, Drug Cabinet, Water Tank and Wash Basin etc.

- Provision of sliding windows should be provided in case of A/C System failure (for AC Ambulance).
- A/C vent should be Roof mounted (for AC Ambulance).



- · Vinyl Flooring which should be easily washable and for the purpose of disinfecting the Ambulance after shifting of the patient.
- Seat Belts/Restraints both for patients and the attendant seat should be provided.
- Monococque Type Body (108 Type Model).

- · Two fans to be provided in the patient cabin.
- Multiple handle bars to be fixed.
- Multiple LED Light points to be provided.
- Wall clock to be fixed in the cabin.
- Provision for Mobile charger to be fixed.
- Two way communication with cabin/driver.
- · O2 cylinder to fix with sufficient clamps to avoid movement and sound during running.
- Extra shock absorbers for smooth riding comfort to the patient.
- Space for all medical equipment i.e. Ventilator, Multipara Monitor, Defibrillator, Infusion pump, Suction apparatus and Monitors etc.,
- Aluminum / Hindalium pull out stretchers.
- Extra battery / large capacity to run the equipment.
- Room thermometer to be fixed in the cabin.
- · Fire extinguisher to be provided.
- · Provision for fixing sphygmomanometer 15cm dials type.
- Provision for Emergency medical jump kit or drug kit.
- Modern and plush interiors with neat and excellent finish.
- The statutory items/fixtures for ambulance should be fixed i.e. emergency lights, back lights, warning lights, front light bar and siren etc.

- Sufficient fuel shall be kept in the Tank of the Ambulance to complete the trip.
- One foldable Wheel Chair should be provided in the Ambulance.
- · Provision of GPS System to monitor through SCCL VTS System shall be made available in the Ambulance by the firm.
- Copy of the Driving License of the concerned Driver should be displayed in the Ambulance.
- The Driver should wear ID card issued by concerned authorities and also the Driver should wear Shoes and Uniform.

The Area GM/GM (E&M), Transport has right to refuse the person responsible for contravention if any to enter into the premises of the Company's establishments till the cause of such contravention is removed or informed in writing of the corrective action taken by the contractor with an assurance about non-recurrence of such contravention.

3. Eligibility criteria:

- A. Preference for awarding the contract will be given in the following order.
 - Project affected persons / Project displaced persons come under 1st category.
 - ii. Dependents of Ex-Employees of SCCL who were not provided job or Ex-Employees of SCCL are one and the same and come under 2nd Category.
 - iii. Others come under 3rd category.
 - Priority will be given to 1st category persons, if not available, 2nd category iv. persons and likewise.
 - Persons fall under category 1 & 2 are permitted to deploy only one ٧. vehicle at any given point of time at any place in SCCL.
 - If the requirement of vehicles is not met with the above 1&2 categories vi. then others will be given opportunity.
 - vii. In case of Project affected persons /Dependents of ex-employees of SCCL or ex-employees of SCCL, the vehicle should be in the name of tenderer only.

- B. If the tenderer is a project affected person/project displaced person, his tender should accompany the following:
- A) A letter duly signed by the tenderer with the following details:
 - i. Extent of land acquired
 - a. Survey No.
 - b. Village
 - c. Mandal
 - d. Award No. & date and
 - e. Purpose for which it was acquired.
- ii. Certificate from the Govt. authorities about his identity.
- C. In case of dependants of ex-employees of SCCL, who were not provided job or Ex-employees of SCCL they should submit any of the following document to the respective personnel department of SCCL of that Area.

SCCL Identity Card/hospital Book/SCCL pay slip with employee code Number.

After submitting any of the above, they should get certificate that he/she is dependant of ex-employee of SCCL who is not provided job or Ex-employee of SCCL from that Area and submit the same to in-charge, personnel department, BPA Area. Further, the incharge, personnel department, BPA Area will forward the same which is to be enclosed to the application after due certification.

- D. Therefore, the eligibility of tenderer under the above category is subject to verification of the genuineness of the details submitted by the tenderer.
- E. Without the above documents, the applications received cannot be considered for preference category.
- F. The 3rd Category tenderers should give acceptance for number of vehicles they can deploy. The EMD should be paid for the vehicles quoted.
- G. In case the tenderer is driver-cum-owner, he is required to submit the relevant documents (valid driving license etc.)
- H. If technically acceptable offers are received for more than the required number of vehicles, and then successful Tenderers will be selected through suitable lottery system.

<u>Note</u>: Further, it is to mention that First Preference will be given to BPA Area persons only, if no response is received within the Area, then offers of other Area will be considered in the same order of eligibility criteria.

4. Proposed rates for the enquired vehicles.

Sl. No.	Description	Amount for AMBULANCE AC 24 Hrs availability/day inclusive of 19.72% statutory deductions(CMPF-12% + Pension- 7%) and 0.72% administrative charges with10% profit margin in Rs.	
1.	Monthly rate for run up-to 1000 KMs	95,629.50	
2.	Rate per KM beyond 1000 KMs run per month	9.85	
3.	Daily Allowance for the Driver for out station trips	300.00	



- 5). Processing Fee of Rs. 590/- (Rupees Five Hundred Ninety Only) including GST shall be paid in the form of Cash only at Cash Office, F&A Dept., Bellampalli Area and the Voucher shall be submitted along with Application.
- 6) EMD for Rs. 7,500/- Per Vehicle shall be submitted along with Tender by 3rdCategory Tenderers only. 1st & 2nd Category Tenderers are exempted from submission of EMD. The successful Tenderer shall deposit a sum of Rs.5,000/- per Vehicle as further Security Deposit within 2 weeks from the date of deployment of vehicle along with Rs.100/- Non Judicial bond. The amounts can be either by Cash or by DD.
- 7) Further, the eligible tenderers shall affix their own photograph in the format attached to this tender document for participating in tender. Tenderers without affixing their photo in the last page of the tender document will be summarily rejected.
- 8) Draw will be conducted for number of firms equal to the number of vehicles and the firms will be selected. Additionally a number of firms equal to twice the number of vehicles will also be selected in the lottery and will be kept as standby.
- 9) All the above firms which are selected in the lottery along with standby firms selected in lottery will be given lottery serial number and sent for technical evaluation.
- 10) On confirming the technically and commercially acceptability the firms which are standing in lottery serial will be considered for the award of contract. Firms in the standby list will be considered for award of contract as per serial number in the lottery list on confirming their technically and commercially acceptability if any dropouts before their serial number. The standby list will be maintained for a period of 2(Two) years from the date of opening of concerned enquiry for future requirements of vehicles, if any.
- 11) Other terms & conditions are as per the tender schedule.
- 12) Tender Schedules can be obtained from EE (E&M), Purchase Department, O/o GM, BPA Area, Goleti Township, Rebbana K.B Asifabad-504 292 on any working day between 10:00AM to 05:00PM.

a) Last Date for issue of Tender Documents

: 17.07.2024 (Up to 4.00PM)

b) Last Date for receipt of Tender Documents : 18.07.2024 (12.00 Noon)

c) Date of opening of Tender Documents : 18.07.2024 (After 3.00PM)

d) Date of Draw(Lottery)

: will be intimated later

- 13. Tenders should be posted in a sealed envelope clearly super scribed with Enquiry No. & Date, date of opening of enquiry, Name of the person, Father's name, address, phone numbers who is submitting the tender. Without the above and unsigned quotations will not be considered.
- 14. If any application is not signed or the applicant found that he had got any vehicle contract recently or getting SCCL dependant job shall be rejected initially and will not be considered for draw.
- 15. One tender form will be given to one pdf/dependent of ex employee/ex-employee only on production of valid documentary evidence. No authorizations will be entertained. Applicant should present physically and should submit self declaration in the prescribed proforma.
- 16. Sometimes issue of corrigendum may be necessary to clarify doubts raised by the bidders or to carryout corrections if any. All such corrigendum shall be displayed in company's web site www.scclmines.com only. The tenders are therefore advised to visit the said website from time to time to keep them up-dated.

For General Bellampalli Area